

## **Sports injuries: when do show-stoppers need surgery?**

**Helen Handoll for Evidently Cochrane 07 July 2017**

### **References**

1. Lenza M, Buchbinder R, Ferrari BAS, Johnston RV, Faloppa F. Surgical versus conservative interventions for treating fractures of the middle third of the clavicle. Cochrane Database of Systematic Reviews 2013 , Issue 6 . Art. No.: CD009363. DOI: 10.1002/14651858.CD009363.pub2

<http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD009363.pub2/abstract>

2. Kerkhoffs GMMJ, Handoll HHG, de Bie R, Rowe BH, Struijs PAA. Surgical versus conservative treatment for acute injuries of the lateral ligament complex of the ankle in adults. Cochrane Database of Systematic Reviews 2007 , Issue 2 . Art. No.: CD000380. DOI: 10.1002/14651858.CD000380.pub2

<http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD000380.pub2/abstract>

3. Monk AP, Davies LJ, Hopewell S, Harris K, Beard DJ, Price AJ. Surgical versus conservative interventions for treating anterior cruciate ligament injuries. Cochrane Database of Systematic Reviews 2016 , Issue 3. Art. No.: CD011166. DOI: 10.1002/14651858.CD011166.pub2

<http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD011166.pub2/abstract>