

## **Traditional opioids for chronic non-cancer pain – untidy, unsatisfactory, and probably unsuitable**

Cathy Stannard and Andrew Moore for Evidently Cochrane

23 September 2016 updated 21 August 2020

### **References**

#### **Therapies for CNCP**

1. Chaparro L, Furlan A, Deshpande A Opioids compared to placebo or other treatments for low back pain Cochrane Database Syst Review 2013;8:CD004959.
2. da Costa BR, Nüesch E, Kasteler R, Husni E, Welch V, Rutjes AW, Jüni P. Oral or transdermal opioids for osteoarthritis of the knee or hip. Cochrane Database Syst Rev. 2014 Sep 17;(9):CD003115. doi: 10.1002/14651858.CD003115.pub4.
3. Gaskell H, Derry S, Stannard C, Moore RA. Oxycodone for neuropathic pain in adults. Cochrane Database of Systematic Reviews 2016, Issue 7. Art. No.: CD010692. DOI: 10.1002/14651858.CD010692.pub3.
4. Gaskell H, Moore RA, Derry S, Stannard C. Oxycodone for pain in fibromyalgia in adults. Cochrane Database Syst Rev. 2016 Sep 1;9:CD012329.
5. Haroutiunian S, McNicol ED, Lipman AG. Methadone for chronic non-cancer pain in adults. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD008025. DOI: 10.1002/14651858.CD008025.pub2.
6. McNicol ED, Midbari A, Eisenberg E. Opioids for neuropathic pain. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD006146. DOI: 10.1002/14651858.CD006146.pub2.
7. Noble M, Treadwell JR, Tregear SJ, Coates VH, Wiffen PJ, Akafomo C, Schoelles KM, Chou R. Long-term opioid management for chronic noncancer pain. Cochrane Database of Systematic Reviews 2010, Issue 1. Art. No.: CD006605. DOI: 10.1002/14651858.CD006605.pub2.
8. Stannard C, Gaskell H, Derry S, Aldington D, Cole P, Cooper TE, Knaggs R, Wiffen PJ, Moore RA. Hydromorphone for neuropathic pain in adults. Cochrane Database Syst Rev. 2016 May 24;(5):CD011604. doi: 10.1002/14651858.CD011604.pub2.
9. Whittle SL, Richards BL, Husni E, Buchbinder R. Opioid therapy for treating rheumatoid arthritis pain. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD003113. DOI: 10.1002/14651858.CD003113.pub3.
10. Wiffen PJ, Derry S, Moore RA, Stannard C, Aldington D, Cole P, Knaggs R. Buprenorphine for neuropathic pain in adults. Cochrane Database Syst Rev. 2015 Sep 30;(9):CD011603. doi: 10.1002/14651858.CD011603.pub2.

11. Williams AC de C, Fisher E, Hearn L, Eccleston C. **Psychological therapies for the management of chronic pain (excluding headache) in adults.** Cochrane Database of Systematic Reviews 2020, Issue 8. Art. No.: CD007407. DOI: 10.1002/14651858.CD007407.pub4

### Other Cochrane reviews

Windmill J, Fisher E, Eccleston C, Derry S, Stannard C, Knaggs R, Moore RA. Interventions for the reduction of prescribed opioid use in chronic non-cancer pain. Cochrane Database of Systematic Reviews 2013, Issue 9. Art. No.: CD010323. DOI: 10.1002/14651858.CD010323.pub2.

### Other useful references

Campbell G, Nielsen S, Bruno R, Lintzeris N, Cohen M, Hall W, Larance B, Mattick RP, Degenhardt L. The Pain and Opioids IN Treatment study: characteristics of a cohort using opioids to manage chronic non-cancer pain. *Pain*. 2015 Feb;156(2):231-42. doi: 10.1097/01.j.pain.0000460303.63948.8e.

Chou R Turner J Devine E. The effectiveness and risks of long-term opioid therapy for chronic pain: a systematic review for a National Institutes of Health Pathways to Prevention Workshop. *Ann Intern Med* 2015;162(4):276-86.

Deyo R Von Korff M Duhroop D Opioids for low back pain *BMJ* 2015;350:g6380 .

Dowell D, Haegerich TM, Chou R. CDC Guideline for Prescribing Opioids for Chronic Pain--United States, 2016. *JAMA*. 2016 Apr 19;315(15):1624-45. doi: 10.1001/jama.2016.1464.

Dunn AT, Saunders KM, Rutter KWCM, et al. Opioid prescriptions for chronic pain and overdose. *Ann Intern Med* 2010; 152:82-85.

Faculty of Pain Medicine Royal College of Anaesthetists (UK) Opioids Aware: A resource for patients and healthcare professionals to support opioid prescribing for pain. 2015 [www.rcoa.ac.uk/faculty-of-pain-medicine/opioids-aware](http://www.rcoa.ac.uk/faculty-of-pain-medicine/opioids-aware) (accessed 7 August 2016).

Gaskell H, Derry S, Moore RA. Treating chronic non-cancer pain in older people--more questions than answers? *Maturitas*. 2014 Sep;79(1):34-40.

Gimbel J, Spierings EL, Katz N, Xiang Q, Tzanis E, Finn A. Efficacy and Tolerability of Buccal Buprenorphine in Opioid-Experienced Patients With Moderate to Severe Chronic Low Back Pain: Results of a Phase 3, Enriched Enrollment, Randomized Withdrawal Study. *Pain*. 2016 Jul 18. [Epub ahead of print].

Hauser W, Bernardy K, Maier C. Long-term opioid therapy in chronic noncancer pain. A systematic review and meta-analysis of efficacy, tolerability and safety in open-label extension trials with study duration of at least 26 weeks. *Schmerz*. 2015;29:96-108.

Katz N, Kopecky EA, O'Connor M, Brown RH, Fleming AB. A phase 3, multicenter, randomized, double-blind, placebo-controlled, safety, tolerability, and efficacy study of Xtampza ER in patients with moderate-to-severe chronic low back pain. *Pain*. 2015 Dec;156(12):2458-67.

Lange B, Kuperwasser B, Okamoto A, Steup A, Häufel T, Ashworth J, Etropolski M. Efficacy and safety of tapentadol prolonged release for chronic osteoarthritis pain and low back pain. *Adv Ther*. 2010 Jun;27(6):381-99. doi: 10.1007/s12325-010-0036-3. Epub 2010 Jun 11. Erratum in: *Adv Ther*. 2010 Dec;27(12):981.

Moore A Derry S, Eccleston C, Kalso E. Expect analgesic failure; pursue analgesic success. *BMJ* 2013;346:f2690.

Price C, Lee J, Taylor AM, Baranowski AP; British Pain Society. Initial assessment and management of pain: a pathway for care developed by the British Pain Society. *Br J Anaesth*. 2014 May;112(5):816-23. doi: 10.1093/bja/aet589.

Solomon DH, Rassen JA, Glynn RJ, Lee J, Levin R, Schneeweiss S. The comparative safety of analgesics in older adults with arthritis. *Arch Intern Med*. 2010 Dec 13;170(22):1968-76. doi: 10.1001/archinternmed.2010.391. Erratum in: *Arch Intern Med*. 2011 Mar 14;171(5):403.

Stannard C. Opioids in the UK: what's the problem? *BMJ*. 2013 Aug 15;347:f5108. doi: 10.1136/bmj.f5108.

Sullivan M, Ballantyne J. Must we reduce pain intensity to treat chronic pain? *Pain* 2016;157:65-69.

Vowles KE, McEntee ML, Julnes PS et al. Rates of opioid misuse, abuse, and addiction in chronic pain: a systematic review and data synthesis. *Pain* 2015;156:569-576.

Weisberg DF, Becker WC, Fiellin DA, Stannard C. Prescription opioid misuse in the United States and the United Kingdom: cautionary lessons. *Int J Drug Policy*. 2014 Nov;25(6):1124-30. doi: 10.1016/j.drugpo.2014.07.009.

Welsch P, Sommer C, Schiltenswolf M, Häuser W. [Opioids in chronic noncancer pain-are opioids superior to nonopioid analgesics? A systematic review and meta-analysis of efficacy, tolerability and safety in randomized head-to-head comparisons of opioids versus nonopioid analgesics of at least four week's duration]. *Schmerz*. 2015 Feb;29(1):85-95. doi: 10.1007/s00482-014-1436-0. German. Erratum in: *Schmerz*. 2015 Jul;29(3):310-1.

Zin CS, Chen LC, Knaggs RD. Changes in trends and pattern of strong opioid prescribing in primary care. *Eur J Pain*. 2014 Oct;18(9):1343-51. doi: 10.1002/j.1532-2149.2014.496.x.