Occupational therapy: enabling living, not existing, after stroke

Rose Peel for Evidently Cochrane 27 March 2018

References

Fletcher-Smith JC, Walker MF, Cobley CS, Steultjens EMJ, Sackley CM. Occupational therapy for care home residents with stroke. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD010116. DOI: 10.1002/14651858.CD010116.pub2. http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD010116.pub2/full

Legg LA, Lewis SR, Schofield-Robinson OJ, Drummond A, Langhorne P. Occupational therapy for adults with problems in activities of daily living after stroke. Cochrane Database of Systematic Reviews 2017, Issue 7. Art. No.: CD003585. DOI: 10.1002/14651858.CD003585.pub3.

http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD003585.pub3/full

National Clinical Guideline for Stroke, 5th edition (2016) Retrieved 23rd January 2018 from https://www.rcplondon.ac.uk/guidelines-policy/stroke-guidelines

Pollock A, Farmer SE, Brady MC, Langhorne P, Mead GE, Mehrholz J, van Wijck F. Interventions for improving upper limb function after stroke. Cochrane Database of Systematic Reviews 2014, Issue 11. Art. No.: CD010820. DOI: 10.1002/14651858.CD010820.pub2.

http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD010820.pub2/full

Royal College of Physicians *Stroke Sentinal National Audit Programme* (2017) Retrieved 3rd January 2018 https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx

Stroke Association *State of the Nation* (2017) Retrieved 3rd January 2018 from https://www.stroke.org.uk/sites/default/files/state_of_the_nation_2017_final_1.pdf