

Informed decision-making.

Kit Byatt and Sarah Chapman for Evidently Cochrane 26 April 2018 revised 16 August 2022

References

British Heart Foundation (n.d.) "Statins". *British Heart Foundation, Heart health, Treatments*. Web. Available from: <https://www.bhf.org.uk/heart-health/treatments/statins> [Accessed 20 April 2018]

Byatt K. Overenthusiastic stroke risk factor modification in the over-80s: Are we being disingenuous to ourselves, and to our oldest patients? *BMJ Evidence-Based Medicine*. 2014 Feb;**19**:121-122.

Available from: <http://ebm.bmj.com/content/19/4/121>

National Institute for Health and Care Excellence (2014). NICE Clinical guideline 181. Lipid modification. Cardiovascular risk assessment and the modification of blood lipids for the primary and secondary prevention of cardiovascular disease.

<https://www.nice.org.uk/guidance/cg181>

Shepherd J, Blauw GJ, Murphy MB, Bollen ELEM, Buckley BM, Cobbe SM et al. Pravastatin in elderly individuals at risk of vascular disease (PROSPER): a randomised controlled trial. *Lancet*. 2002 Nov;**360**(9346):1623-1630.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12457784>

Taylor F, Huffman MD, Macedo AF, Moore THM, Burke M, Davey Smith G, Ward K, Ebrahim S. Statins for the primary prevention of cardiovascular disease. *Cochrane Database of Systematic Reviews* 2013, Issue 1. Art. No.: CD004816.

DOI:10.1002/14651858.CD004816.pub5.

<http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD004816.pub5/full>