

References:

1. Wolf A, Bray GA, Popkin BM. A short history of beverages and how our body treats them. *Obesity reviews : an official journal of the International Association for the Study of Obesity* 2008;9(2):151-64. doi: 10.1111/j.1467-789X.2007.00389.x [published Online First: 2008/02/09]
2. Popkin BM, Hawkes C. Sweetening of the global diet, particularly beverages: Patterns, trends, and policy responses. *The Lancet Diabetes and Endocrinology* 2016;4(2):174-86. doi: 10.1016/S2213-8587(15)00419-2
3. Hu FB. Resolved: there is sufficient scientific evidence that decreasing sugar-sweetened beverage consumption will reduce the prevalence of obesity and obesity-related diseases. *Obesity reviews : an official journal of the International Association for the Study of Obesity* 2013;14(8):606-19. doi: 10.1111/obr.12040 [published Online First: 2013/06/15]
4. Malik VS, Popkin BM, Bray GA, et al. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care* 2010;33(11):2477-83. doi: 10.2337/dc10-1079 [published Online First: 2010/08/10]
5. Bleich SN, Vercammen KA. The negative impact of sugar-sweetened beverages on children's health: an update of the literature. *BMC Obesity* 2018;5(1):6. doi: 10.1186/s40608-017-0178-9
6. Brownell KD, Frieden TR. Ounces of Prevention - The Public Policy Case for Taxes on Sugared Beverages. *New England Journal of Medicine* 2009;360(18):1805-08.
7. Imamura F, O'Connor L, Ye Z, et al. Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ* 2015;351 doi: 10.1136/bmj.h3576
8. de Ruyter JC, Olthof MR, Seidell JC, et al. A Trial of Sugar-free or Sugar-Sweetened Beverages and Body Weight in Children. *New England Journal of Medicine* 2012;367(15):1397-406. doi:10.1056/NEJMoa1203034
9. Ebbeling CB, Feldman HA, Chomitz VR, et al. A randomized trial of sugar-sweetened beverages and adolescent body weight. *The New England journal of medicine* 2012;367(15):1407-16.
10. World Health Organization. Reducing consumption of sugar-sweetened beverages to reduce the risk of childhood overweight and obesity. 2019. https://www.who.int/elena/titles/ssbs_childhood_obesity/en/ (accessed 23 February 2019).
11. British Medical Association. BMA briefing: a tax on sugary drinks 2018 [Available from: www.bma.org.uk/collective-voice/influence/uk-governments/westminster/briefings/tax-on-sugary-drinks accessed 23 February 2019.
12. Vargas-Garcia EJ, Evans CEL, Prestwich A, et al. Interventions to reduce consumption of sugar-sweetened beverages or increase water intake: evidence from a systematic review and meta-analysis. *Obesity reviews : an official journal of the International Association for the Study of Obesity* 2017 doi: 10.1111/obr.12580 [published Online First: 2017/07/20]
13. Backholer K, Sarink D, Beauchamp A, et al. The impact of a tax on sugar-sweetened beverages according to socio-economic position: a systematic review of the evidence. *Public health nutrition* 2016;19(17):3070-84. doi: 10.1017/s136898001600104x [published Online First: 2016/05/18]

14. von Philipsborn P, Stratil JM, Burns J, et al. Environmental interventions to reduce the consumption of sugar-sweetened beverages and their effects on health. *Cochrane Database of Systematic Reviews* 2019(6) doi: 10.1002/14651858.CD012292.pub2
15. Hennessy M, Bleakley A, Piotrowski JT, et al. Sugar-sweetened beverage consumption by adult caregivers and their children: the role of drink features and advertising exposure. *Health education & behavior : the official publication of the Society for Public Health Education* 2015 doi: 10.1177/1090198115577379 [published Online First: 2015/03/22]
16. Mantzari E, Hollands GJ, Pechey R, et al. Impact of bottle size on in-home consumption of sugar-sweetened beverages: protocol for a feasibility and acceptability study. *Pilot and Feasibility Studies* 2015;1:1-1.
17. Schwartz MB, Schneider GE, Choi YY, et al. Association of a community campaign for better beverage choices with beverage purchases from supermarkets. *JAMA Intern Med* 2017;177(5):666-74.
18. Schwartz AE, Leardo M, Aneja S, et al. Effect of a school-based water intervention on child body mass index and obesity. *JAMA Pediatr* 2016;170(3):220-26.
19. Foster GD, Karpyn A, Wojtanowski AC, et al. Placement and promotion strategies to increase sales of healthier products in supermarkets in low-income, ethnically diverse neighborhoods: a randomized controlled trial. *The American journal of clinical nutrition* 2014;99(6):1359-68.