

## **Quitting smoking: which types of behavioural support work best to help people stop?**

**Annika Theodoulou and Dr Jamie Hartmann Boyce for Evidently Cochrane 31 May 2021, updated 09 May 2023**

### **References**

1. World Health Organization. World Health Organization fact sheets: Tobacco. Geneva: World Health Organization; May 2020. Web. 07 May 2021  
<http://www.who.int/news-room/fact-sheets/detail/tobacco>.
2. Hartmann-Boyce J, Chepkin SC, Ye W, Bullen C, Lancaster T. Nicotine replacement therapy versus control for smoking cessation. Cochrane Database of Systematic Reviews 2018, Issue 5. Art. No.: CD000146. DOI: 10.1002/14651858.CD000146.pub5.  
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD000146.pub5/full>
3. Hartmann-Boyce J, Livingstone-Banks J, Ordóñez-Mena JM, Fanshawe TR, Lindson N, Freeman SC, Sutton AJ, Theodoulou A, Aveyard P. Behavioural interventions for smoking cessation: an overview and network meta-analysis. Cochrane Database of Systematic Reviews 2021, Issue 1. Art. No.: CD013229. DOI: 10.1002/14651858.CD013229.pub2.  
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD013229.pub2/full>